

Date: Tuesday, 7/1/2008 10:45:09 AM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : BRACKET
Job Number : 40148	
Estimate Number : 10106	
P.O. Number :	Part Number : D2012111
This Issue : 7/1/2008 S.O. No. :	Drawing Number : D2012-111 REV. A
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : SMALL / MED FAB	Drawing Revision : A
Previous Run : 38936	Material :
Written By :	Due Date : 7/20/2008 Qty: 40 Um: Each
Checked & Approved By : <u>08.07.01</u>	
Comment : Est: C 00.05.02 Now laser cut EC	
est D 07.01.24 waterjet EC	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M304S16GA	304/316 .063 Sheet
-----	-----------	--------------------



Comment: Qty.: 0.0226 sf(s)/Unit Total : 0.9030 sf(s)

304/316 Stainless Steel .063 Sheet

Batch: 107675 B 8-7-18

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET

1-Cut as per Dwg D2012-111

Dwg Rev: A

Prog Rev: A

B 8-7-18

(49)

2-Debur if necessary

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



B 8-7-18

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

Sootal/25 (49) counters

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1

Debur if necessary.

08/07/25 (49)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 7/1/2008 10:45:09 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BRACKET

Job Number: 40148

Part Number: D2012111

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 08/04/08 (+49)

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *578*

C 8/1/28

(49)

8.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/08/01

Job Completion



MF 08-07-31


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries





SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 40148



NOTES: 1. MAT'L AISI 304/316 CRES
.063 THICK

D2012-111

REVISION		THIS DRAWING IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE PERMISSION OF DART AERO.		RIVET CODE SHALL BE PER HAS 523		PART NO.		ITEM		DESCRIPTION		MATERIAL		SPEC./VENDOR	
DRAWN				BASIC CODE		CONTRACT NO.		DATE		06/03/92		DART		DART AERO ACCESSORIES INC.	
APPROVED				D=HOLE DASH=NO OF SHEETS C=COUNTERSINK		LENGTH DASH NO. W=SPOTWELD		DRAWN		HATTON		DESIGN		BRADLEY	
DESCRIPTION		OF		CHANCE		BASIC CODES		CHECKED		BRADLEY		DATE		9/16/8	
REQUIREMENTS — UNLESS OTHERWISE SPECIFIED		GENERAL		LIMITS		BASIC CODES		TITLE		BRACKET		CODE		D2012-111	
1. DIMENSIONS ARE IN INCHES		1. TOLERANCES — .XX ± .030		2. ANGLES		3. PARALLELISM		4. ECCENTRICITY		5. SYMMETRY ABOUT		6. ALL M/C CENTRE LINES .005		7. REPORT ALL DISCREPANCIES — DO NOT SCALE	
2. SURFACE ROUGHNESS .125 MAX		3. REMOVE SHARP EDGES .015 MAX		4. THREADS PER INCH — S — 7742		5. HOLES PER AND 10387		8. H=H20470AD		9. BB=H570426AD		10. SCALE		SH1 / OF 1	
3. REMOVE SHARP EDGES .015 MAX		4. THREADS PER INCH — S — 7742		5. HOLES PER AND 10387		6. ALL M/C CENTRE LINES .005		7. REPORT ALL DISCREPANCIES — DO NOT SCALE		8. H=H20470AD		9. BB=H570426AD		10. SCALE	
4. THREADS PER INCH — S — 7742		5. HOLES PER AND 10387		6. ALL M/C CENTRE LINES .005		7. REPORT ALL DISCREPANCIES — DO NOT SCALE		8. H=H20470AD		9. BB=H570426AD		10. SCALE		SH1 / OF 1	
5. HOLES PER AND 10387		6. ALL M/C CENTRE LINES .005		7. REPORT ALL DISCREPANCIES — DO NOT SCALE		8. H=H20470AD		9. BB=H570426AD		10. SCALE		SH1 / OF 1		REV. A	

REDRAWN FROM
D2012-111 JUN 3/92